



MOTORES E VENTILADORES ELETRICOS

Promotional inflatables


Inflatable toys

Industrial

ELECTRIC MOTORS AND FANS INDUSTRY

Contact us now for your free
product consultation!

<https://www.ajmmotoreseventiladores.com.br>



VENTILADOR SICORO- Electric Inflatable Blower

PRODUCT DESCRIPTION (TECHNICAL)

Model Reference #	AJM 12P (A)	AJM 15P (A)	AJM 18P (A)
Power (W)	73W	243W	368W
Speed(r/min)	3.500 RPM	3.500 RPM	3.500 RPM
Frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Capacitor	5 uF / 250 VAC	12 uF /250 VAC	30 uF / 250 VAC
Voltage (V)	110v -220v or BIVOLT	110v -220v or BIVOLT	110v -220v or BIVOLT
Carrent:(A)	0,60 A	2,5 A	4,5 A
N.Weight (KG)	1.987 Kg	2.826 Kg	5.434 Kg
Scroll Types	Plastic / Aluminun	Plastic / Aluminun	Plastic / Aluminun


VENTILADOR SICORO- Electric Inflatable Blower

PRODUCT DESCRIPTION (TECHNICAL) - SCROLL ALUMINIUM





VENTILADOR SIROCO COMPACTO




CARACTERÍSTICAS TÉCNICAS

Modelo	Vazão m ³ /min	Pressão mmCA	Ruido dba	Potência CV	Tensão V	Peso Kg	DIMENSÕES (mm)												
							A	B	C	D	E	F	øG	H	J	K	L	M	N
AJM12 2 polos	2,6	28	75	1/10	127/220	2,7	58	73	97	95	78	59	7	141	166	65	9	45	186
	2,5	23	75	1/10	220/380	2,7													
AJM15 2 polos	10,8	62	86	1/5	127/220	4,5	89	104	129	112	91	69	7	197	225	115	7	90	235
	11,0	64	80	1/5	220/380	4,5													
AJM18 2 polos	17	64	87	1/2	220	7,5	104	127	152	152	127	104	9	180	278	130	9	78	310
	17	63	87	1/2	220/380	7,5													
AJM15D 2 polos	22	81	81	1/2	127/220	7,6	175	216	236	110	70	72	7	274	226	118	7	90	239
	22	81	81	1/2	220/380														
AJM18D 2 polos	30,9	87	84	1	220/380	10,0	198	220	247	154	127	100	9	337	280	136	15	78	275

Pressão
mmH₂O

CURVAS DE DESEMPENHO



Tabelas referenciais sujeitas a alterações sem previo aviso



VENTILADOR BIRUTA- DANCER BLOWER

PRODUCT DESCRIPTION (TECHNICAL)




Model Reference # Blower for airdancer	AJM-BIRUTA 550	AJM -BIRUTA 750	AJM-BIRUTA 180
Power (W)	550W	750W	180W
Voltage (V)	220v	220v	110v -220v
Frequency (Hz)	60Hz	60Hz	60Hz
Pressure	2050Pa	2400Pa	500Pa
Flow Direction	Centrifugal	Centrifugal	Centrifugal
Cord Length (Single leg)	4-5Mts	5-6Mts	4Mts
Cord Length (Both leg)	6-7Mts	8Mts	
N.Weight (KG)	10,7kg	11kg	2,5kg
Scroll Types	Plastic	Plastic	Plastic



MOTOR SOPRADORES - AIR BLOWER

PRODUCT DESCRIPTION (TECHNICAL)

Model Reference #	AJM-B750	AJM -B1.200
Power (W)	750W	1.200W
Voltage (V)	BIVOLT	BIVOLT
Frequency (Hz)	60Hz	60Hz
Pressure	2050Pa	2400Pa
Flow	590m3/h	800m3/h
Cord Length	2M	3M
N.Weight (KG)	6.5kg	9kg
Scroll Types	Plastic	Plastic



SOPRADOR - AXIAL FLOW HEAT SINK FAN

PRODUCT DESCRIPTION (TECHNICAL)

Model Reference #	AJM-12v
Voltage (V)	12v
Operating temperature rang	-30°C- +70°
Rated curren	0.07A/0.06
N.Weight (KG)	460g
Scroll Types	Plastic